```
<110> CUTTITTA, FRANK
MARTINEZ, ALFREDO
MILLER, MAE JEAN
UNSWORTH, EDWARD J.
HOOK, WILLIAM
WALSH, THOMAS
GREY, KAREN
MACRI, CHARLES
```

- <120> Functional Role of Adrenomedullin (AM) and the Gene-Related Product (PAMP) in Human Pathology and Physiology
- <130> 2026-4202US4
- <140> 2026-4202US4
- <141> 2001-08-15
- <150> 09/011,922
- <151> 1998-02-17
- <150> PCT/US96/13286
- <151> 1996-08-16
- <150> US/60/013,172
- <151> 1996-03-12
- <150> US60/002,936
- <151> 1995-08-30
- <150> US/60/002,514
- <151> 1995-08-18
- <160> 17
- <170> PatentIn Ver. 2.1
- <210> 1
- <211> 10
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> Description of Artificial Sequence: Peptide, P070, YY-PreproAM (amino acids 34-41)

```
<400> 1
Tyr Tyr Trp Asn Lys Trp Ala Leu Ser Arg
                  5
<210> 2
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide,
      P071, YGG-PreproAM (amino acids 122-131)
<400> 2
Tyr Gly Gly His Gln Ile Tyr Gln Phe Thr Asp Lys Asp
<210> 3
<211> 31
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide, P072,
      PreproAM (amino acids 116-146)
<400> 3
Thr Val Gln Lys Leu Ala His Gln Ile Tyr Gln Phe Thr Asp Lys Asp
Lys Asp Asn Val Ala Pro Arg Ser Lys Ile Ser Pro Gln Gly Tyr
             20
                                  25
<210> 4
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      sense primer, AM, (nucleotides 94-114)
<400> 4
aagaagtgga ataagtgggc t
```

200

and and

4,

E.

Total and the

21

```
<210> 5
    <211> 21
    <212> DNA
    <213> Artificial Sequence
    <220>
    <223> Description of Artificial Sequence: Nucleic Acid,
          antisense primer, AM,
                                   (nucleotide 444-464)
    <400> 5
    tggcttagaa gacaccagag t
                                                                         21
    <210> 6
    <211> 21
    <212> DNA
    <213> Artificial Sequence
    <220>
    <223> Description of Artificial Sequence: Nucleic Acid,
4.
          antisense probe, AM,
                                  (nucleotides 289-309)
ke:
4,1
    <400> 6
    ctggaagttg ttcatgctct g
                                                                         21
Įij,
    <210> 7
la sh
    <211> 20
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> Description of Artificial Sequence: Peptide ,
          PAMP-20, Proadrenomedullin N-terminal 20 amino
          acids
    Ala Arg Leu Asp Val Ala Ser Glu Phe Arg Lys Lys Trp Asn Lys Trp
      1
                       5
                                                                15
    Ala Leu Ser Arg
                  20
    <210> 8
    <211> 21
    <212> DNA
```

```
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      sense primer, AM,
                         (nucleotides 250-270)
<400> 8
aagaagtgga ataagtgggc t
                                                                   21
<210> 9
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      antisense primer, AM, (nucleotides 640-660)
<400> 9
tggcttagaa gacaccagag t
                                                                   21
<210> 10
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      Nested Antisense probe, AM, (nucleotides
      541-561)
<400> 10
gacgttgtcc ttgtccttat c
                                                                   21
<210> 11
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      AM-R amplification sense primer (nucleotides
      476-497)
```

The state

A to the A to the A

that after that

4.5

<400> 11

```
<210> 12
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      AM-R amplification antisense primer (nucleotides
      923-946)
<400> 12
agaggatggg gttggcgaca cagt
                                                                    24
<210> 13
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      AM-R antisense probe (nucleotides 788-811)
<400> 13
ggtagggcag ccagcagatg acaa
                                                                    24
<210> 14
<211> 31
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide,
      Synthetic homolog of AM (P072), Structural amino
      acid sequence representing two-thirds of the
      intact AM peptide
<400> 14
Thr Val Gln Lys Leu Ala His Gln Ile Tyr Gln Phe Thr Asp Lys Asp
  1
                  5
                                      10
                                                           15
Lys Asp Asn Val Ala Pro Arg Ser Lys Ile Ser Pro Gln Gly Tyr
             20
                                  25
                                                      30
```

```
<210> 15
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      Sense primer, AM, (nucleotides 250-270);
      Recognizes the most conserved regions of the AM
      gene
<400> 15
aagaagtgga ataagtgggc t
                                                                    21
<210> 16
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic Acid,
      Antisense primer, AM, (nucleotides 523-542);
      Recognizes the most conserved regions of the AM
      gene
<400> 16
tgtgaactgg tagatctggt
                                                                    20
<210> 17
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Nucleic acid
      probe, AM, (nucleotides 430-450); Detects the AM
      gene via Southern Blot
<400> 17
tctggcggta gcgcttgact c
                                                                    21
```